

Attached List 11: Sum of cure and much improvement rate of acupuncture treatment. Data from 上海针灸杂志 Shanghai Journal of Acupuncture and Moxibustion Jan. to Aug. 2015.

Author	Diseases	Effective mark	Groups	Total number of participants	Clinic cured	Much improved	Effectted	No effect	Cure rate + much improved rate
(4) 金珊珊	Migraine	VAS	Acup	35	12	10	11	2	62.9%
			Acup + Shanzhong point, + Cupping	35	18	13	4	0	88.6%
(51) 于红娟	postpartum depression	HAMD	Abdomen Acup	68	51	12	4	1	92.6%
(74) 丁艳	Insomnia	SAS	Acup	59	6	29	8	7	59.3%
			Acup on origin point and branch points	50	13	23	10	4	72.0%
(75) 储浩然	Irritable Bowel Syndrome	Standard of diagnosis and evaluation fo disease treatment (Song Chuangxing)	Acup	45	2	8	25	10	22.2%
			Warm Acup	45	7	16	20	2	51.1%
(78) 鲍春龄	erimenopausal Syndrome	Kupperman scale	Acup	30	0	16	14	0	53.3%
			Warm Acup	30	0	23	6	0	76.7%

(83) 缙燕华	Post-stroke Insomnia	PSQI	Oral zopiclone	30	8	8	10	4	53.3%
			Acup (Western medicine)	30	10	9	8	3	63.3%
			Acup with Adjusting Ren and Du meridian technique (Western medicine basis)	30	19	8	1	2	90.0%
(84) 林妙君	Post-stroke Depression	HAMD	Oral fluoxetine	29	0	2	19	8	6.9%
			Acup	27	1	5	18	3	22.2%
(89) 史晓岚	Peri-menopausal Depression	HAMD	E-Acup on Guanyuan, Sanyinjiao points	30	8	14	5	3	73.3%
			E-Acup on Neiguan, Zusanli points	30	3	17	8	2	66.7%
(90) 孙远征	Peri-menopausal Depression	Kupperman	Oral fluoxetine + Acup	30	3	8	10	9	36.7%
			Oral fluoxetine + Acup on Ren-Du Meridian	30	9	13	6	2	73.3%
(94) 邹伟	Anxious Neurosis	HAMA	Acup	29	2	7	15	5	31.0%
			Emotion-balancing Acup	29	11	9	8	1	69.0%
(102) 张玉霞	Post-herpetic Neuralgia	VAS	Ashi point + Fire needle puncture	20	11	8	1	0	95.0%
			Surrounding needle Acup	20	9	9	2	0	90.0%
			Three-edge needle Acup + flash cupping	20	10	7	2	1	85.0%

			Oral Pregabalin	20	8	6	6	2	70.0%
(104) 刘丹	Tobacco Withdrawal Symptoms After Smoke Cessation	Amount of daily smoking	Auricular point pressue	24	0		13	11	0.0%
			Acup + auricular press	24	0		20	4	0.0%
(116) 夏隽晖	Post-stroke Depression	HAMD 评分	Sham Acup + fluoxetine + Rehabilitation	48	18	14	6	10	66.7%
			Acup + fluoxetine + Rehabilitation	50	26	16	3	5	84.0%
(119) 梁启东	Stomachache	Accumulated mark of symptom and signs.	Herbs	50	21	10	11	8	62.0%
			Linggui Bafa Acup + herbs	50	28	16	4	2	88.0%
(42) 徐华芳	Functional Constipation	CCS	Sham E-Acup	30	4	5	11	10	30.0%
			E-Acup	30	12	13	3	2	83.3%
(43) 李瑞芝	Urine Urgency-frequency Syndrome	Bristol scale	E-Acup (less severe cases)	30	13	8	7	2	70.0%
			E-Acup (Severe cases)	30	11	8	8	3	63.3%
(31) 刘立安		SF-MPQ	E-Acup	30	12		17	1	40.0%
	Cervical Spondylosis								
(32) 欧阳冷星	Tennis Elbow	VAS	Mini Fire-Acup	30	15	13		2	93.3%

			Point injection	20	6	6		8	60.0%
			E-Acup	30	6	9		15	50.0%
(44) 王雪琴	Sudden Hearing Loss	Dianosis standard for sudden deafness sudden hearing loss	E-Acup	30	9	6	4	11	50.0%
			E-Acup + moxi	30	13	9	5	3	73.3%
(45) 孙懿君	Cervical Spondylotic Radiculopathy	VAS	Neck Jiajia point	100	18	27	34	21	45.0%
			Fire-technique Acup	100	29	53	16	2	82.0%
(46) 景福权	Cervical Spondylotic Radiculopathy	CSR 评分	Laser	40	2	9	21	8	27.5%
			Acup	40	6	11	20	3	42.5%
			Acup + laser	40	11	23	5	1	85.0%
(80) 谢炎烽	Acute Gouty Arthritis	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Oral diclofenac sodium	44	16		20	8	36.4%
			Fire needle, cupping, herbs	45	29		14	2	64.4%
(65) 茅贝珍	Herpes Zoster	VAS	Ganciclovir	20	0	3	13	4	15.0%
			Around Acup + E-Acup	20	2	6	12	0	40.0%
			Mixed group	20	6	8	6	0	70.0%

(66) 黄燕	Patellar Chondromalacia	VAS	E-Acup on VMO	32	12	12	7	1	75.0%
			E-Acup	20	4	6	5	5	50.0%
(67) 叶必宏	Knee Osteoarthritis	WOMAC 评	Xianlinggubao capsule	60	2	13	36	9	25.0%
			Warm E-Acup	60	5	20	32	3	41.7%
(68) 钱山海	Plantar Fasciitis	VAS	Warm Acup	30	12	9	8	1	70.0%
			Warm Acup + herbs	31	19	9	3	0	90.3%
(122) 罗建昌	Cervicogenic Headache	VAS	E-Acup on Neck Jiaji points	44	3	6	19	16	20.5%
			Nect eight-point Acup + Ashi point	45	12	15	14	4	60.0%
(123) 宫秀丽	Cervicogenic Headache	Overall evaluation marks	Acup	30	8	7	10	5	50.0%
			Three-step Acup-Cupping therapy	30	13	10	6	1	76.7%
(118) 耿丹	Functional Dyspepsia	NDSI 评分	Lower He point Acup	20	0	4	13	3	20.0%
			Mo point Acup	20	1	5	12	2	30.0%
			Acup with Lower He and Mo points	20	2	10	8	0	60.0%
(17) 周岳松	Tension headache	Standard of international headache association	Oral Eperisone Hydrochloride	60	8	15	25	12	38.3%

	(2004)		E- Acup	60	24	30	5	1	90.0%
(18) 刘斌	Chronic pharyngitis	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	E-Acup + point injection	53	30	15	5	3	84.9%
(101) 王赟芝	Relapsed Migraine 共治疗 4 星期。	Guideline of diagnosis and treatment of migraine in China	Oral sumatriptan + ergotamine caffeine	63	16	36		11	82.5%
			Acup	63	18	36		9	85.7%
(111) 许卫国	Depression	HAMD	Acup on "Five center" points + ginger moxibustion	32	10	13	7	2	71.9%
(120) 李呈新	Post-operative Intractable Hiccup	Self set up mark	chlorine ammonia injection + Oral baclofen	33	9	12		12	63.6%
			E-Acup + Diagram training	34	20	10		4	88.2%

More objective group

(1) 尹景春	Post-stroke Shoulder-hand Syndrome	VAS	Whole meridians Acup	30	10	6		5	53.3%
			Rehabilitation	30	6	6		7	40.0%

(28) 李薇薇	Spasmodic Torticollis	Tsui 评分	Five-point Acup	15	4	4	6	1	53.3%
			Plus herbs	15	7	5	2	1	80.0%
(30) 万意佳	Facial Neuritis	Portmann(RPA)	Acup + prednisone	108	38	35	35	0	67.6%
			Thick Acup + prednisone	110	55	41	14	0	87.3%
(35) 萧婷	Motor Dysfunction in Stroke Patients During the Flaccid Paralysis Stage	Standard mark for diagnosis and effectiveness of treatment of stroke	Acup	30	6	10	10	4	53.3%
			Acup + Jiaji E-Acup	30	10	15	4	1	83.3%
(37) 李骁飞	Aphasia after Ischemic Stroke	Scale of oral function (repeat function)	Acup	30	3	8	12	7	36.7%
			tongue-three-needle Acup	30	6	12	8	4	60.0%
(38) 李宝栋	Post-stroke Dysphagia	Kubota's water drinking test score	Western medicine	55	0	10	27	18	18.2%
			Acup + Western medicine	55	1	17	31	6	32.7%
(48) 邓镜明	Knee Osteoarthritis	VAS	Ibuprofen Sustained Release Capsules	40	5	16	7	12	52.5%
			Moxi	40	10	19	7	4	72.5%

			Warm Acup	40	9	18	8	5	67.5%
(52) 蔡国锋	Deglutition and Pulmonary Infection in Postcerebral Infarction Patients with Tracheotomy and Tracheal Intubation	Toshima Ichiro Swallowing Assessment	Western Medicine	20	4	3	4	8	35.0%
			Acup	20	10	6	2	2	80.0%
			Cross E-Acup on neck	19	15	4	1	0	100.0%
(58) 赵延红	Hypertension	TNF-alfa	Fengchi point Acup.	75	58		9	7	77.3%
			Fengchi plus special points Acup	75	67		5	3	89.3%
(69) 朱润佳	Convalescent Stroke	MESSS 评分	Western Medicine	30	0	12	3	15	40.0%
			E-Acup + Western medicine	30	0	14	10	6	46.7%
(77) 夏水渊	Nonalcoholic Fatty Liver Disease	Serum TG	Oral Silibinin Capsules	65	13	19	27	6	49.2%
			Acup + herbs	67	18	27	19	3	67.2%
(79) 贺君	Chronic Pelvic Inflammation	Guideline of clinic development of new herbal medicine (Zheng Xiaoyu)	Acup	30	6	11	7	6	56.7%
			Warm Acup	30	9	15	4	2	80.0%
(88) 王宏玉	Functional Dyspepsia	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	domperidone	33	11	13	5	4	72.7%
			Stragety Acup	35	13	13	6	3	74.3%

(91) 盛昭园	Ocular Myasthenia Gravis	Clinic evaluation of myasthenia gravis	Oral pyridostigmine bromide + herbs	35	5	10	12	8	42.9%
			Oral pyridostigmine bromide + Acup	35	9	14	7	5	65.7%
(96) 巩凤梅	Cervical Vertigo	Evaluation Scale of cervical vertigo	Acup	30	6	6	10	8	40.0%
			Plus Be-needle Acup	30	11	12	5	2	76.7%
(98) 闫兵	Post-stroke Shoulder-hand Syndrome	VAS	Acup	30	8		17	5	26.7%
			Jin-three-needle acup + Jin Points	30	17		12	1	56.7%
(99) 郑利群	Transient Ischemic Attack	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	TIA conventional treatmens	30	2	11	11	6	43.3%
			TIA conventional treatment + Acup	30	5	21	3	1	86.7%
(103) 侯加运	Deglutition Disorders after Radiotherapy of Nasopharyngeal Carcinoma	Kubota's water drinking test score	Rehabilitation	20	7	3		10	50.0%
			E-Acup + rehabilitation	20	10	6		4	80.0%
(105) 徐国峰	Primary Hypertension	Clinic diagnosis standard for diseases (State	Under tongue captopril	34	19	9		6	82.4%

		Administration of Traditional Chinese Medicine)	Acup using Blood pressure-reducing point and headache-reducing points.	48	31	11	6	87.5%	
(106) 王健	Allergic Rhinitis	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Acup + herbs	45	16	25	4	91.1%	
			Acup	45	11	21	13	71.1%	
			Herbs	45	9	21	15	66.7%	
(107) 范新华	Chronic Simple Rhinitis	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Cefuroxime	40	0	12	10	18	30.0%
			Acup + Hot-sensensitive moxibustion	40	3	18	13	6	52.5%
(108) 邓赛男	Cervical Spondylosis of Nerve Root Type	Accumulated mark of symptom and signs.	Acup	30	1	5	19	5	20.0%
			Acup on "happy moxibustion"	30	2	15	10	3	56.7%
(113) 崔乐乐	Vascular Dementia	ADL	Oral Nimodipine	30	1	9	15	5	33.3%
			Acup on Du meridian + Nimodipine	30	4	18	6	2	73.3%
(115) 王琪	Post-stroke Deglutition Disorders	Kubota’s water drinking test score	Rehabilitation	45	2	18	16	9	44.4%
			Acup on Channal-opening technique	46	9	22	12	3	67.4%

(117) 刘卫星	Post-stroke Urinary Retention	Remaining volume of urine	Warm Acup (with moxibustion)	35	10	12	13	62.9%	
			Warm Acup + point injection	35	16	17	2	94.3%	
(124) 费远丽	Abducens Paralysis	slant visibility mark	Acup	43	22		13	8	51.2%
			Acup + lateral rectus acup point	43	28		12	3	65.1%
(127) 段娜	Knee Osteoarthritis	WOMA	Warm Acup	46	7	21	13	5	60.9%
			Warm Acup + three color herb application on the knee	45	10	24	8	3	75.6%
(128) 范春兰	Tenosynovitis of Long Head of Biceps Brachii	SPADI	Warm Acup	43	0	2	35	6	4.7%
			Fire Acup + Warm Acup	45	1	5	38	1	13.3%
(9) 缪奇祥	Allergic Rhinitis	Clinic diagnosis standard for diseases	Oral loratadine clarityne civeran + sodium cromoglycate drop	26	2	6	12	6	30.8%
			Acup	28	10	8	5	5	64.3%
(10) 荆红存	Allergic Rhinitis	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Acup	44	20	9	10	5	65.9%
			Acup + self blood therapy	45	30	7	6	2	82.2%
(15) 傅云其	Injury of Medial Collateral Ligament	Authors' own mark	Pain point injection	40	0	21	10	7	52.5%

	of Knee Joint		Pain point Acup	40	0	23	16	1	57.5%
(16) 曾士林	Cardiospasmus	Authors' own mark	E-Acup + Warm Acup	24	10		13	1	41.7%
(19) 田光	Central Facial Palsy	TAS	Acup + herbs + medicine	27	5	5	9	8	37.0%
			Plus Hegu point	30	8	11	8	3	63.3%
(24) 沈群	Peptic Ulcer	Evaluation scale of gastric ulcer under gastroscop	Oral Ome omeprazole capsule	33	6	11	6	10	51.5%
			Acup + Moxi	34	11	16	2	5	79.4%
(29) 杨怡	Facial Spasm	Cohen、Albert 痉挛强度分级评估	Oral carbamazepine	40	8	10	6	16	45.0%
			Acup	50	7	15	13	15	44.0%
			Warm Acup +Point injection	50	28	14	8	0	84.0%
(33) 史军月	Central retinal artery occlusion	Self defined mark	Acup	28	3	15	8	2	64.3%
(34) 龚丹	Facial Spasm	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Acup	40	14	17		9	77.5%
			Health side Acup	40	22	15		3	92.5%

(39) 孙钰	Hemifacial Spasm	Cohen Albert 分级	Acup	34	6	11	9	8	50.0%
			Qi needle Acup	34	12	18	2	2	88.2%
(40) 胡怡佳	Mental retardation in children	Gaiser development scale	Mental training	150	0	16	94	40	10.7%
			Jin-three-needle Acup + Mental training	150	0	24	103	23	16.0%
(41) 李雪青	Post-infectious Cough	LCQ (day time cough)	Oral Compound Methoxyphenamine Capsules	30	13	3	7	7	53.3%
			Acup 1	30	20	1	7	2	70.0%
			Acup 2	30	14	2	9	5	53.3%
(49) 王健	Temporomandibular Joint Disorder	Adapted stanard from other papers	E-Acup + TDP	29	12	12	3	2	82.8%
			Floarting E-Acup + TDP	29	20	7	1	1	93.1%
(50) 任建军	Paralytic ileus after abdominal surgery	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Enema of saline solution	25	5	7	8	5	48.0%
			E-Acup	25	17	5	3	0	88.0%
(56) 陈明	Obesity-type Polycystic Ovary Syndrome	Quide line for the development of new medicine	Western medicine	50	6	12	17	15	36.0%
			Acup, Herbs, Western Medicine	50	9	20	8	13	58.0%

(61) 李龙芬	Hemifacial Spasm	Cohen Albert standard	Acup	15	2	5	3	5	46.7%
			Plus E-Acup on neck	15	4	6	3	2	66.7%
(62) 王敏	Musculospiral Paralyse	Adapted from other papers	Acup	60	36		21	3	60.0%
			(No control group)						
(63) 刘敏娟	Temporomandibular Joint Disorder		Oral indometacin	45	17	11	9	8	62.2%
			E-Acup + moxi	45	29	12	3	1	91.1%
(64) 李艳芳	Hyperplasia of Mammary Glands	Standard of diagnosis and evaluation fo disease treatment (Song Chuangxing)	Ruzengning (herb capsule)	30	0	10	6	12	33.3%
			E-Acup	30	2	16	8	4	60.0%
(76) 王伟华	Diabetic Gastroparesis	Adapted scale from other papers	E-Acup	30	13		12	5	43.3%
			E-Acup on Ghost points	30	19		9	2	63.3%
(92) 刘鹏	Hemifacial Spasm	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Acup	20	9	3	1	7	60.0%
			Floating Acup + flash cupping	20	13	3	1	3	80.0%
(95) 李呈新	Postoperative Retention	Self set up standard	intermittent Urine conduction	34	10	13	7	4	67.6%

			E-Acup + Rehabilitation	33	17	10	5	1	81.8%
(97) 李邗峻	Cervical Vertigo	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Acup	30	10	0	12	8	33.3%
			Acup + motive moxibustion	31	13	0	17	1	41.9%
(109) 宋爱群	Ankylosing Spondylitis	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Oral salazosulfapyridine	30	10	6	5	9	53.3%
			Acup + ginger moxibustion	30	14	9	7	0	76.7%
(110) 吕海庆	Hemifacial Spasm	Clinic diagnosis standard for diseases (State Administration of Traditional Chinese Medicine)	Acup	27	15	2	4	6	63.0%
			Floating Acup	33	22	6	2	3	84.8%
(125) 刘梅	Cervical Spondylotic Vertebral Arteriopathy	Shanghai guideline of diagnosis and treatment of diseases by TCM	Herbs	44	15		19	10	34.1%
			Special point Acup + kidney-nourishing herbs	45	28		13	4	62.2%
(126) 余鸿斌	Spinal Cord Injury	Overall and accumulated marks	Rehabilitation	15	2	2	7	4	26.7%
			Fire-creating technique Acup on Yongquan point + Rehabilitation	15	4	6	4	1	66.7%